



13  
iowa department of environmental quality

reply to: Eugene Evans - Main Office  
phone: 515/281-8912

13  
RECORD COPY

September 27, 1982

File Name Eagle Signal Industrial Controls  
Senders Initials ZACC

Mr. Lane Trefftz  
Eagle Signal Industrial Controls  
736 Federal Street  
Davenport, IA 52803

Dear Mr. Trefftz:

This letter is to confirm and clarify our telephone conversations of September 22, 1982 regarding your interim status. These comments are based on my understanding it is your intention to use the small quantity generator exclusion. The points needed to be included in amending your hazardous waste notification and Part "A" application are:

- 1) On form 8700-12 (6-80) VIII mark "X" in the "subsequent notification" box.
- 2) On form 3510-3 page 1 of 5, line 1, should be lined out, initialed, and dated.
- 3) On form 3510-3 page 3 of 5, lines 1 through 12, should be lined out, initialed, and dated.

In a narrative on the bottom of the page indicate whether or not you had used the drum storage area during the regulated time period for storage of hazardous wastes in excess of 90 days. If you had, please submit your closure plan with the above. The closure plan will be reviewed by Mrs. Barbara Cook.

Also indicate that waste management practices have been altered so that wastes are now handled under the small quantity exemption.

- 4) On 3510-3 (6-80) page 4 of 5 please resign and date the certification statement.

Review the forms in detail so as to eliminate any inaccuracies, correcting them by lining out, initialling, and dating.

If you have any questions, please contact this office.

Sincerely,

AIR AND LAND QUALITY DIVISION

Gene Evans  
Environmental Specialist

EE:bkp/AQW267P06.01

cc: DEQ Regon 6



Main Office: Henry A. Wallace Building, Des Moines, Iowa 50319